

2016



CPH
LIGHTING





MANUFACTURED IN DENMARK




Oblique olive green

INDEX

WHO WE ARE	5
OUR DESIGNERS	7
INDOOR LIGHTING	8
Basic	8
Eggy Pin Floor	10
Eggy Pin Table	12
Eggy Pop In	14
Eggy Pop Pendant	16
Eggy Pop Up	20
Grid	22
Lightsquare	24
Oblique Floor	26
Oblique Table	28
Oblique Wall	30
Peak	34
OUTDOOR LIGHTING	38
Eggy Pop Out	38
Arcus	40
Perfo	42
TECHNICAL SPECIFICATIONS	47
COLORS BY PRODUCT	63
GENERAL TERMS OF SALE & DELIVERY	64

WHO WE ARE



Cph Lighting is a Danish lighting company based in Hjerling, a small seaside town on the west coast of Denmark.

Our lighting collection consists of classic and modern designs by Guglielmo Berchicci, Morten Flensted, and Tom Stepp. Three individual designers who share our passion for high quality lighting.

Our products are designed with the greatest attention to functionality, high quality, and low energy consumption.

This is the reason why our products are just as suitable for private homes as well as for the contract market.

MANUFACTURED IN DENMARK

The Cph Lighting collection is manufactured in Denmark.

This gives us many advantages:

Hands on control with product quality,

fair labor conditions are secured,

and transportation of components and the finished products is reduced, for the benefit of our environment.

Last but not least, it offers us flexibility and the ability to offer our clients customized solutions on many of our products, even in limited quantities.

Please contact us for more information.

www.cphlighting.dk

OUR DESIGNERS



Peak pendant natural oak



Guglielmo Berchicci

Born in Milan - Italy, lives and works in Mallorca - Spain.

Guglielmo Berchicci has a bachelor degree in architecture from the Polytechnic University of Milan, and is a renowned designer in Italy and abroad.

His work of architecture and design stems from his fascination of the appearing simplicity and complexities of nature and life.

Guglielmo Berchicci works with product design, interior design, and architecture for Italian and international clients.

Designs for Cph Lighting: The Egg Pop collection.



Morten Flensted

Born in Denmark, lives and works in the city of Aarhus.

Morten Flensted was trained as an electrician and electronic engineer before graduating as an industrial designer from Kolding School of Design.

He has a keen eye for the detail.

Morten Flensted works with industrial- and graphic design for a wide range of Danish clients.

Designs for Cph Lighting: Peak, Lightsquare.



Tom Stepp

Born in Denmark, lives and works in the city of Helsingør.

Tom Stepp was trained as a carpenter, building technician and construction technician before graduating as an architect from the Royal Danish Academy of Fine Arts in Copenhagen.

A background which has given him a very pragmatic approach to design.

Tom Stepp works with product design, interior design, and architecture for a number of Danish and international clients.

Designs for Cph Lighting: Oblique, Grid, Basic, Perfo.

BASIC

Design: Tom Stepp 1980

The Basic pendant series is timeless design with a high light output, emitting a pleasant direct light without glare.

Basic is open at the top, whereby light illuminates the rings on the top, and thus adds an extra decorative element to the design.

Basic is the perfect choice for dining tables, counters etc., in both private and public applications.

Materials: Aluminium, steel, textile cord

Dimensions (cm): ø26 x h14.5 / ø40 x h17 / ø50 x h21

Lightsource: 230V, E27 - max 100W

Colors: Black, White

Technical Specifications p. 48
Colors p. 63



EGGY PIN FLOOR

Design: Guglielmo Berchicci 2004

Eggy Pin Floor is an elegant floor lamp available with optional on/off switch or dimmer switch.

Eggy Pin Floor is made of PE, a strong, UV-resistant and recyclable material, that emits a soft and pleasant light without glare.

Eggy Pin Floor is part of the Eggy Pop collection, whose organic and inviting design is based on a simple and universal shape - the egg.

Eggy Pin Floor is the perfect choice for almost any interior design style, in both private and public settings.

Materials: PE and steel, plastic cord

Dimensions (cm): ø55 x h180

Lightsources: 230V, E27 - max 75W

Optional on/off or dimmer switch

Colors: Opal White, White lacquered

Technical Specifications p. 49



EGGY PIN TABLE

Design: Guglielmo Berchicci 2004

Eggy Pin Table is an elegant table lamp available with optional on/off switch or dimmer switch.

Eggy Pin Table is made of PE, a strong, UV-resistant and recyclable material, that emits a soft and pleasant light without glare.

Eggy Pin Table is part of the Eggy Pop collection, whose organic and inviting design is based on a simple and universal shape - the egg.

Eggy Pin Table is the perfect choice for almost any interior design style, in both private and public settings.

Materials: PE and steel, plastic cord

Dimensions (cm): ø32 x h40

Light source: 230V, E27 - max 40W

Optional on/off or dimmer switch

Colors: Opal White, White lacquered

Technical Specifications p. 49



EGGY POP IN

Design: Guglielmo Berchicci 2004

Eggy Pop In is an elegant floor or table lamp, available in three sizes.

Eggy Pop In is made of PE, a strong, UV-resistant and recyclable material that emits a soft and pleasant light without glare.

Eggy Pop In is part of the Eggy Pop collection, whose organic and inviting design is based on a simple and universal shape - the egg.

Use Eggy Pop In alone or in clusters with a mix of different sizes to create a decorative effect.

Eggy Pop In is the perfect choice for almost any interior design style, and in both private and public settings.

Materials: PE, plastic cord

Dimensions (cm): S: ø32 x h22, M: ø55 x h35, L: ø70 x h40

Light source: 230V, E27. S: max 40W / M+L: max 75W

Optional on/off or dimmer switch

Colors: Opal White

Technical Specifications p. 50



EGGY POP PENDANT

Design: Guglielmo Berchicci 2004

The Eggy Pop Pendant is a suspension lamp, available in three sizes, and mounted in a steel wire and a curved cable to create an elegant and floating look.

Eggy Pop Pendant is made of PE - a strong, UV-resistant and recyclable material, and emits a soft and pleasant light without glare.

Eggy Pop Pendant is part of the Eggy Pop collection, whose organic and inviting design is based on a simple and universal shape - the egg.

Use Eggy Pop Pendants alone or in clusters with a mix of different sizes to create a decorative effect.

Eggy Pop Pendant is the perfect choice for almost any interior design style, and in both private and public settings.

Materials: PE, plastic cord, steel wire

Dimensions (cm): S: ø32 x h22, M: ø55 x h35, L: ø70 x h40

Light source: 230V, E27. S: max 40W/ M+L: max 75W

Colors: Opal White

Technical Specifications p. 51





Eggy Pop Pendant

EGGY POP UP

Design: Guglielmo Berchicci 2004

Eggy Pop Up is an elegant fixture for direct installation on wall or ceiling, available in three sizes. It "grows" out of the wall or ceiling like a glowing sculpture.

Eggy Pop Up is made of PE - a strong, UV-resistant and recyclable material, and emits a soft and pleasant light without glare.

Eggy Pop Up is part of the Eggy Pop collection, whose organic and inviting design is based on a simple and universal shape - the egg.

Use Eggy Pop Up alone or in clusters with a mix of different sizes to create a decorative effect.

Eggy Pop Up is the perfect choice for almost any interior design style, and in both private and public settings.


Materials: PE

Dimensions (cm): S: ø32 x h22, M: ø55 x h35, L: ø70 x h40

Light source: 230V, E27. S: max 40W/ M+L: max 75W

Colors: Opal White

Technical Specifications p. 52



GRID

Design: Tom Stepp 2011

Grid is a metal pendant available in seven elegant colors.

Grid combines modern design with referenes to the classic Scandinavian design tradition, and is a refined interpretation of the traditional industrial lamp used at metal latches.

The metal grid adds a twist to the design and prevents nosy fingers from touching the bulb.

Grid emits a pleasant, direct light without glare, making it the perfect choice above dining tables, counters etc., in private as well as public applications.

Materials: Spun aluminium, steel, and textile cord

Dimensions (cm): ø17.5 x H23 cm

Light source: 230V, E27 - max 40W

Colors: Bright (White), Mystery (Black), Moss (Green), Beach (Beige), North (Blue), Sunrise (Yellow), South (Pink)

Technical Specifications p. 53

Colors p. 63



LIGHTSQUARE

Design: Morten Flensted 2011

Lightsquare is an elegant and minimalistic table lamp made in Plexiglas Satin Ice

- an exclusive acrylic material with a diffuse light penetration to prevent glare.

The well thought-out design of Lightsqare gives it a clean and graphic look.

It consists of only three parts: Two moulded shades which are held together by a cross with no use of screws or glue.

Use Lightsquare as a reading lamp or ambience light in private and public interiors.

Materials: Satin Ice Acrylic, plastic cord

Dimensions (cm): h30 x 14 x 14

Light source: 230V, E27 - max 40W. Dimmable

Colors: Snow/Snow (Opal White), Graphit (Black/Opal White)

Technical Specifications p. 54
Colors p. 63



OBLIQUE FLOOR

Design: Tom Stepp 1979

Oblique is a timeless and elegant lighting collection with exceptional details, finishing and functionality.

The asymmetrical design of the lamp shade ensures a glare-free light.

The on/off switch, elegantly positioned on the tilt- and 360°-turnable shade, makes Oblique flexible and easy to adjust and operate.

Oblique is the perfect reading light, suitable for both private and public applications.

Materials: Spun aluminium, steel, and plastic cord

Dimensions (cm): h132

Light source: 230V, E27 - max 60W

Colors: White (glossy, matte), Black (glossy, matte), Flint Grey (matte), Olive Green (matte), Petrol Blue (matte), Tile Red (matte)
All with chrome stem

Technical Specifications p. 55
Colors p. 63



OBLIQUE TABLE

Design: Tom Stepp 1979

Oblique is a timeless and elegant lighting collection with exceptional details, finishing and functionality.

The asymmetrical design of the lamp shade ensures a glare-free light.

The on/off switch, elegantly positioned on the tilt- and 360°-turnable shade, makes Oblique flexible and easy to adjust and operate.

Oblique is the perfect reading light.

Oblique is suitable for both private and public applications.

Materials: Spun aluminium, steel, and plastic cord

Dimensions (cm): h58

Lightsource: 230V, E27 - max 60W

Colors: White (glossy, matte), Black (glossy, matte), Flint Grey (matte), Olive Green (matte), Petrol Blue (matte), Tile Red (matte)
All with chrome stem

Technical Specifications p. 56

Colors p. 63



OBLIQUE WALL

Design: Tom Stepp 1979

Oblique is a timeless and elegant lighting collection with exceptional details, finishing and functionality.

The asymmetrical design of the lamp shade ensures a glare free light which makes Oblique the ideal reading lamp.

The on/off switch, elegantly positioned on the tilt- and 360o -turnable shade, makes Oblique flexible and easy to adjust.

Oblique is suitable for both private and public applications.

Materials: Spun aluminium, steel, and plastic cord

Dimensions (cm): h23

Light source: 230V, E27 - max 60W

Colors: White (glossy, matte), Black (glossy, matte),
Flint Grey (matte), Olive Green (matte), Petrol Blue (matte), Tile Red (matte)
All with chrome joint

Technical Specifications p. 57
Colors p. 63





Oblique table customised, Rönneberga Konferens, Sweden

PEAK

Design: Morten Flensted 2015

Peak is an elegant and exclusive pendant in genuine materials:
Turned solid oak in three finishes, brass cord grip, and textile covered silicone cord.

The softness of the wood stands in contrast to the angled design.
When the two are brought together, they create an exciting and elegant whole.

In order to complete the exclusive experience,
Peak is delivered including a dimmable LED bulb from one of the world's
most innovative LED suppliers, SORAA.

This bulb offers exceptional light, thanks to its unique color rendering
and 60 degree beam angle.

Peak is perfect above e.g. counters and dining tables, alone or in cluster,
in private as well as public settings.

Materials: Turned solid wood, brass cord grip, textile covered silicone cord

Dimensions (cm): h12 x ø15.5

Light source: 230V, GU10 - max 7.5W LED
(Delivered with 7.5W LED bulb from SORAA)

Colors: Natural Oak, Black Oak, Smoked Oak

Technical Specifications p. 58
Colors p. 63





EGGY POP OUT

Design: Guglielmo Berchicci 2004

Eggy Pop Out is an elegant outdoor lamp,
available in three sizes and with three optional cable lengths.

Eggy Pop Out is made of PE,- a strong, UV-resistant and recyclable material,
and emits a soft and pleasant light without glare.

Eggy Pop Out is part of the Eggy Pop collection,
whose organic and inviting design is based
on a simple and universal shape - the egg.

Use Eggy Pop Out alone or in clusters with a mix of
different sizes to create a decorative effect.

Eggy Pop Out is the perfect choice for private and public
gardens, terrasses, balconies etc..

Move it around in different locations,
or fix it to the surface with the Eggy Pop fixation bracket.

Materials: PE, black outdoor cable

Dimensions (cm): S: ø32 x h22, M: ø55 x h35, L: ø70 x h40

Lightsources: 230V, E27. S: max 40W / M+L: max 75W

Cable length (options): 3 - 5 - 8 m

Colors: Opal White.

Accessory: Fixation bracket (PE) for fixation on concrete, bricks or wooden surfaces

Technical Specifications p. 59



ARCUS

Design: Cph Lighting 2000

Arcus is a robust outdoor wall and ceiling fixture made of hot-dipped galvanised steel.

Arcus is available with band and clear diffuser or without band and opal diffuser.

Arcus is suitable for private and public installations which require a tamper-proof fixture to withstand harsh climates.

Materials: Hotdipped galvanised steel, polycarbonate

Dimensions (cm): Ø27.4 x d13.5 or d17.5

Light source: 230V, E27 - max 60W or 18W TC-D

Colors: Steel

Technical Specifications p. 60



PERFO

Design: Tom Stepp 2000

Perfo is a timeless wall fixture for outdoor use made of hot-dipped galvanised steel.

An elegant effect is created when the light penetrates through the perforated front cover.

Perfo is suitable for private and public outdoor areas that require an elegant and yet robust fixture to withstand harsh climates.

Materials: Hotdipped galvanised steel, polycarbonate

Dimensions (cm): w24 x h32 x d14.5

Light source: 18W TC-TEL

Colors: Steel

Technical Specifications p. 61







TECHNICAL SPECIFICATIONS


BASIC

Technical Specifications

Features:

- Pendant lamp in 3 models and 2 colors
- Timeless and elegant design
- High light output
- Pleasant direct light without glare
- Ideal for both private homes and the contract market
- Recommended light bulb: LED or energy saving

Model	Model No.
Basic 260 - white	41110
Basic 260 - black	41112
Basic 400 - white	41111
Basic 400 - black	41113
Basic 500 - white	41114
Basic 500 - black	41115



Models	Basic 260	Basic 400	Basic 500
Dimensions	ø26 x H14.5 cm	ø40 x H17 cm	ø50 x H21 cm
Materials	Spun aluminium (wet lacquered), steel, textile cord		
Colors (See p.63)	White or Black		
Colors cords	White or Black		
Light source	230V, E27 - max 100W A55	230V, E27 - max 100W A60, A75	
Mounting	3m textile cord, baldachine, terminal block 2x2,5mm²		
Markings / Approvals	IP20 - Class II F-marking CE-marking		
Energy label	A++, A+, A, B, C, D, E		
Weight - net / gross Volume	0.9 kg/1.0 kg 0,015 m²	1.7 kg / 1.9 kg 0.06 m²	1.9 kg / 2.7 kg 0.09 m²


EGGY PIN FLOOR + TABLE

Technical Specifications

Features:

- Indoor lamp in 2 models, for table or floor, available with on/off or dimmer switch
- Pleasant and glare-free light
- Part of the Eggy series with more matching models
- The shade is made of PE (polyethylene) - a strong, UV-resistant and recyclable material
- Perfect for private and public applications
- Recommended light bulb: LED or energy saving

Model	Model No.
Eggy Pin Table	44181
Eggy Pin Table DIM	44191
Eggy Pin Floor	44286
Eggy Pin Floor DIM	44296



Models	Pin Table	Pin Floor
Dimensions	ø32 x h40 cm	ø55 x h180 cm
Materials	PE (polyethylene), POM, steel (powder lacquered), plastic cord	
Colors	Opal white / White lacquer	
Color cord	White (on/off) / Transparent (dimmable)	
Light source	230V, E27 - max 40W A45, A55	230V, E27 - max 75W A60, A75
Mounting	2.0 m (table) / 1.7 m (floor) plastic cord with EU-plug, on/off or dimmer switch	
Markings / Approvals	IP20 - Class-II F-marking CE-marking	
Energy marking	On/off: A++, A+, A, B, C, D, E Dimmable: A+, A, B, C, D, E	
Weight - net / gross Volume	3.2 kg / 3.8 kg 0.04m ²	10 kg / 12 kg 0,38 m ² (2 pack.)


EGGY POP IN

Technical Specifications

Features:

- Indoor lamp in 3 sizes, available with on/off or dimmer switch
- Pleasant and glare-free light
- Part of the Eggy series with more matching models
- Made of PE (polyethylene) - a strong, UV-resistant and recyclable material
- Perfect for both private and public applications
- Accessory: Fixation bracket for fixating the armature on hard surfaces (wood, concrete, etc.)
- Recommended light bulb: LED or energy saving (dimmable)

Model	Model No.
Eggy Pop In ø32	44281
Eggy Pop In ø32 DIM	44291
Eggy Pop In ø55	44282
Eggy Pop In ø55 DIM	44292
Eggy Pop In ø70	44283
Eggy Pop In ø70 DIM	44293
Eggy Pop Fix. bracket	47270



Fixation bracket
ø8 x H3,5 cm

Models	ø32	ø55	ø70
Dimensions	ø32 x H22 cm	ø55 x H35 cm	ø70 x H40 cm
Materials	PE (polyethylene), POM, plastic cord		
Colors	Opal white		
Colors cords	White (on/off) / Transparent (dimmable)		
Light source	230V, E27 - max 40W A45, A55	230V, E27 - max 75W A60, A75	
Mounting	2m plastic cord with EU-plug Dimmable version is fitted with a dimmer switch		
Markings / Approvals	IP20 - Class II F-marking CE-marking		
Energy label	On/off: A++, A+, A, B, C, D, E Dimmable: A+, A, B, C, D, E		
Weight - net / gross Volume	1.7 kg / 2.2 kg 0.04 m²	4.3 kg / 5.0 kg 0.13 m²	5.3 kg / 6.4 kg 0.2 m²


EGGY POP PENDANT

Technical Specifications

Features:

- Indoor pendant in 3 sizes, and with three optional wire/cord lengths
- Elegant and iconic design
- Pleasant and glare-free light
- Part of the Eggy series with more matching models
- Made of PE (polyethylene) - a strong, UV-resistant and recyclable material
- Perfect for private and public applications
- Recommended light bulb: LED or energy saving (dimmable)

Models	Model No.
Eggy Pop ø32 - 2m(3m)	41181
Eggy Pop ø32 - 4m(5m)	41150
Eggy Pop ø32 - 6m(7)m	41153
Eggy Pop ø55 - 2m(3m)	41182
Eggy Pop ø55 - 4m(5m)	41151
Eggy Pop ø55 - 6m(7m)	41154
Eggy Pop ø70 - 2m(3m)	41183
Eggy Pop ø70 - 4m(5m)	41152
Eggy Pop ø70 - 6m(7m)	41155



Models	ø32	ø55	ø70
Dimensions	ø32 x H22 cm	ø55 x H35 cm	ø70 x H40 cm
Materials	PE (polyethylene), POM, plastic cord, steel wire		
Colors	Opal white		
Color cord	White		
Light source	230V, E27 - max 40W A45, A50	230V, E27 - max 75W A60, A75	
Mounting	2m wire/3m cord - 4m wire/5m cord - 6m wire/7m cord, baldachine, Terminal block 2x2.5mm ²		
Markings / Approvals	IP20 - Class II F-marking CE-marking		
Energy label	A++, A+, A, B, C, D, E		
Weight - net / gross	2(3)m: 1.7 kg / 2.2 kg 4(5)m: 1.8 kg / 2.3 kg 6(7)m: 1.9 kg / 2.4 kg	2(3)m: 4.3 kg / 5.0 kg 4(5)m: 4.4 kg / 5.1 kg 6(7)m: 4.5 kg / 5.2 kg	2(3)m: 5.3 kg / 6.5 kg 4(5)m: 5.4 kg / 6.6 kg 6(7)m: 5.5 kg / 6.7 kg
Volume	0.04 m ²	0.13 m ²	0.2m ²


EGGY POP UP

Technical Specifications

Features:

- Indoor lamp in 3 sizes, for wall or ceiling
- Pleasant and glare-free light
- Part of the Eggy series with more matching models
- Made of PE (polyethylene) - a strong, UV-resistant and recyclable material
- Perfect for private and public applications
- Recommended light bulb: LED or energy saving (dimmbable)

Model	Model No.
Eggy Pop Up ø32	43151
Eggy Pop Up ø55	43152
Eggy Pop Up ø70	43153



Models	ø32	ø55	ø70
Dimensions	ø32 x H22 cm	ø55 x H35 cm	ø70 x H40 cm
Materials	PE (polyethylene), plastic cord, steel wire		
Colors	Opal white		
Colors cord	(Not visible)		
Light source	230V, E27 - max 40W A45, A55	230V, E27 - max 75W A45, A55, A60, A75	
Mounting	Terminal block 2x1,5mm ² Optional mouting with visible cord		
Markings / Approvals	IP20 - Class II F-marking CE-marking		
Energy label	A++, A+, A, B, C, D, E		
Weight - net / gross Volume	1,5 kg / 2,1 kg 0.04 m ²	4,1 kg / 4,9 kg 0.13 m ²	5,3 kg / 6,4 kg 0.2 m ²


GRID

Technical Specifications

Features:

- Pendant available in seven colors
- Pleasant direct light without glare
- Small pendant with a wide beam
- The grid serves both as a decorative element and tamper protection
- Strong construction - perfect for both private and public applications
- Recommended light bulb LED or energy saving (dimmbable)

Models:	Model No.
Bright (White)	41170
Mystery (Black)	41171
North (Blue)	41172
Beach (Beige)	41173
Sunrise (Yellow)	41174
Moss (Green)	41175
South (Pink)	41176



Models	Pendant
Dimensions	ø17.5 x H23 cm
Materials	Spun aluminium (wet lacquered), steel, textile cord.
Colors (See p.63)	Bright, Mystery, North, Beach, Sunrise, Moss, South
Colors cords	Black: black cord All others colors: white cord
Light source	230V, E27 - max 40W A55, A60
Mounting	3m textile cord with baldachine, terminal block 2x2.5mm ²
Markings / Approvals	IP20 - Class II. F-marking CE-marking
Energy label	A++, A+, A, B, C, D, E
Weight - net / gross Volume	0.45 kg / 0.65 kg 0.01 m ²



LIGHTSQUARE

Technical Specifications

Features:

- Table lamp made of Satin Ice Acrylic
- Graphic and elegant design
- Dimmable
- Suitable as ambience, bedside or desk light, in private homes and on the contract market
- Recommended light bulb: Dimmable LED

Model	Model No.
Snow (white)	44160
Graphit (black/white)	44161



Models	Table lamp
Dimensions	H30 x 14 x14 cm
Materials	Satin Ice acrylic/ plastic cord
Colors (See p.63)	Snow/Snow, Graphit/Snow
Colors cords	White
Light source	230V, E27 - max 40W A45, A55
Mounting	2 m plastic cord with dimmer switch, EU-plug
Markings / Approvals	IP20 - Class II F-marking CE-marking
Energy label	A+, A, B, C, D, E
Weight - net / gross Volume	1,35 kg / 1,55 kg 0,01 m ²

OBLIQUE FLOOR


Technical Specifications

Features:

- Classic and elegant floor lamp available in 8 colors/surfaces
- Assymetrical, glare-free light - ideal for reading
- Integrated on/off switch for easy handling
- Easily adjustable - tilt and 360° turnable lamp head
- Available also as a table lamp and wall lamp with a matching design
- Ideal for both private and public applications
- Recommended light bulb: LED A45 or A55

Models	Model No.
White matte	44200
Black matte	44201
White glossy	44208
Black glossy	44209
Flint grey	44252
Petrol blue	44253
Olive green	44254
Tile red	44255

Models	Floor lamp
Dimensions	H132 x W26.5 cm
Materials	Spun aluminium (wet lacquered) chromed steel
Colors (See p.63)	White (glossy, matte), Black (glossy, matte), Flint Grey (matte), Olive Green (matte), Petrol Blue (matte), Tile Red (matte)
Color cords	White: white cord All others colors: black
Light source	230V, E27 - max 60W A45, A55
Mounting	2.8 m plastic cord with EU-plug
Markings / Approvals	IP20 - Class II F-marking CE-marking
Energy marking	A++, A+, A, B, C, D, E
Weight - net / gross Volume	3.7 kg / 4.7 kg 0.08 m ²




OBLIQUE TABLE

Technical Specifications

Features:

- Classic and elegant table lamp available in 8 colors/surfaces
- Assymetrical, glare-free light - ideal for reading and task light
- Integrated on/off switch for easy handling
- Easily adjustable - tilt and 360° turnable lamp head
- Available also as a floor lamp and wall lamp in a matching design
- Ideal for both private and public applications
- Recommended light bulb: LED or energy saving

Model	Model No.
White matte	44100
Black matte	44101
White glossy	44108
Black glossy	44109
Flint grey	44152
Petrol blue	44153
Olive green	44154
Tile red	44155



Models	Table lamp
Dimensions	H58 x W25 cm
Materials	Spun aluminium (wet lacquered), chromed steel
Colors (See p.63)	White (glossy, matte), Black (glossy, matte), Flint Grey (matte), Olive Green (matte), Petrol Blue (matte), Tile Red (matte)
Colors cords	White: white All other colors: black
Light source	230V, E27 - max 60W A45, A55
Mounting	2.8 - 3.9 m plastic cord with EU-plug
Markings / Approvals	IP20 - Class II F-marking CE-marking
Energy Marking	A++, A+, A, B, C, D, E
Weight - net / gross Volume	1,8 kg / 2,7 kg 0,036 m ²


OBLIQUE WALL

Technical Specifications

Features:

- Classic and elegant wall lamp available in 8 colors/surfaces
- Assymetrical, glare-free light - ideal for reading and task light
- Integrated on/off switch for easy handling
- Easily adjustable - tilt and 360° turnable lamp head
- Available also as a floor lamp and table lamp with a matching design
- Ideal for both private and public applications
- Recommended light bulb: LED or energy saving

Models	Model No.
White matte	43100
Black matte	43101
White glossy	43174
Black glossy	43175
Flint grey	43104
Petrol blue	43105
Olive green	43106
Tile red	43107



Models	Wall lamp
Dimensions	H21 x W22.5 cm
Materials	Spun aluminium (wet lacquered) chromed steel
Colors (See p.63)	White (glossy, matte), Black (glossy, matte), Flint Grey (matte), Olive Green (matte), Petrol Blue (matte), Tile Red (matte)
Colors cords	All colors: white
Light source	230V, E27 - max 60W A45, A55
Mounting	3.9m plastic cord with EU-plug On request: Hard wired with terminal block 2x1,5mm ²
Markings / Approvals	IP20 - Class II F-marking CE-marking
Energy marking	A++, A+, A, B, C, D, E
Weight - net / gross Volume	0.54 kg / 0.9 kg 0.01 m ²


PEAK

Technical Specifications

Features:

- Wooden pendant in 3 elegant colors: natural oak, black oak, smoked oak
- Direct light without glare
- Small pendant with a wide beam
- Ideal above counters and tables
- Suitable for private and public applications
- Delivered with 1 x LED light bulb from SORAA (7.5W, 60D, 2700K, CRI 95, dimmable)

Model	Model No.
Peak - Natural Oak	41190
Peak - Black Oak	41191
Peak - Smoked Oak	41192



Models	Pendant
Dimensions	ø15.5 x H12 cm
Materials	Turned solid oak (natural: lacquer, black: lacquered, smoked: oiled), textile covered silicone cord, brass cord grip
Colors (See p.63)	Natural Oak / Black Oak / Smoked Oak
Color cord	Black
Light source	230V, GU10 MR16, max 7.5W LED (Included)
Mounting	3m textile cord with baldachine, terminal block 2x2.5mm ²
Markings / Approvals	IP20 - Class II. F-marking CE-marking
Energy label	A++, A+, A, B, C, D, E (SORAA bulb: A)
Weight - net / gross Volume	0.9 kg / 1.4 kg 0,015 m ²


EGGY POP OUT

Technical Specifications

Features:

- Outdoor lamps in 3 sizes and 3 cable lengths
- Pleasant and glare-free light
- Part of the Eggy series with more matching models
- Made of PE (polyethylene) - a strong, UV-resistant and recyclable material
- Perfect for private and public applications
- Accessory: Fixation bracket for fixating the armature on hard surfaces (wood, concrete, etc.)
- Recommended light bulb: LED or energy saving

Models	Model No.
Eggy Pop ø32 - 3m	47281
Eggy Pop ø32 - 5m	47286
Eggy Pop ø32 - 8m	47291
Eggy Pop ø55 - 3m	47282
Eggy Pop ø55 - 5m	47287
Eggy Pop ø55 - 8m	47292
Eggy Pop ø70 - 3m	47283
Eggy Pop ø70 - 5m	47288
Eggy Pop ø70 - 8m	47293
Eggy Pop Fix. bracket	47270



Fixation bracket
ø8 x h3,5 cm

Models	ø32	ø55	ø70
Dimensions	ø32 x H22 cm	ø55 x H35 cm	ø70 x H40 cm
Materials	PE (polyethylene), POM, rubber cable		
Colors	Opal white		
Color cords	Black		
Light source	230V, E27 - max 40W A45, A55	230V, E27 - max 75W A60, A75	
Mounting	3m, 5m, or 8m black cable with Schuko-plug.		
Markings / Approvals	IP55 - Class II F-marking CE-marking		
Energy label	A++, A+, A, B, C, D, E		
Weight - net / gross	3m: 1.8 kg / 2.3 kg 5m: 1.9m / 2.4 kg 8m: 2.1m / 2.6 kg	3m: 4.4 kg / 5.1 kg 5m: 4.5 kg / 5.2 kg 8m: 4.7 kg / 5.4 kg	3m: 5.4 kg / 6.5 kg 5m: 5.5 kg / 6.6 kg 8m: 5.7 kg / 6.8 kg
Volume	0.04 m²	0.13 m²	0.2 m²

ARCUS

Technical Specifications

Features:

- Outdoor armature in hotdipped, galvanised steel and polycarbonate
- Available for wall or ceiling, with or without band
- Tamper proof and robust design
- Suitable for private and public applications
- Recommended light bulb: LED or energy saving

Model	Model No.
Arcus with band A60W/E27 230V	43115
Arcus with band HF18W TC-D/GX24q-2	43117
Arcus w/o band A60W/E27 230V	43130
Arcus w/o band HF18W TC-D/GX24q-2	43132
Shade transparent (polycarbonate)	2427
Shade opal (polycarbonate)	2436

Models	A60W/E27 230V	HF18W TC-D/GX24q-2
Dimensions	With band: ø27.4 x D14.5 cm W/o band: ø27.4 x D13.5 cm	
Materials	Hot dipped steel / polycarbonate	
Colors	With band: Steel + transparent W/o band: Steel + opal white	
Colors cords	-	
Light source	230V, E27 - max 60W A55, A60	18W TC-D/GX24q-2 Compact fluorescent
Mounting	Terminal block 3x2.5mm ² Looping possible	
Markings	IP55 - Class I F-marking CE-marking	
Energy label	A+, A, B, C, D, E	A
Weight - net / gross Volume	3.4 kg / 3.9 kg with band 2.9 kg / 3.4 kg w/o band 0.014 m ²	

PERFO







Technical Specifications

Features:

- Elegant outdoor wall armature in hotdipped, galvanised steel and polycarbonate
- Robust and tamper proof design
- Suitable for private and public applications
- Recommended light bulb: Energy saving

Model:	Model No.
HF18W TC-D/GX24q-2	43141
Shade spare part (polycarbonate)	2426

Models	HF18W TC-D/GX24q-2
Dimensions	W32 x H24 x D14.5 cm
Materials	Hotdipped steel/ Polycarbonate
Colors	Steel + Opal white
Colors cords	-
Light source	18W TC-TEL/GX24q-2/ Compact fluorescent
Mounting	Terminal block 3x2.5 mm ² Looping possible
Markings / Approvals	IP44-Class I F-marking CE-marking
Energy label	A
Weight - net / gross Volume	4.1 kg/4.4 kg 0.013 m ²



EGGY POP COMPONENTS

Technical Specifications

The Eggy Pop collection consists of 3 diffuser sizes, and a selection of matching electrical parts.

The electrical parts determine the final model.

NOTE:

Eggy Pin and diffusers: Pin Table version fits with ø32 diffuser only. Pin Floor version fits with ø55 diffuser only.

Lightbulb: ø32: E27-max 40W, ø55 and ø70: E27-max 75W.

Packaging: Electrical parts are packed in separate, triangular boxes that can fit into the diffuser boxes. Except Eggy Pin floor, for which the stem is delivered in a separate box.

Model	Model No.
Eggy Pop ø32 diffuser	2400
Eggy Pop ø55 diffuser	2401
Eggy Pop ø70 diffuser	2402
El-part Eggy Pop In	44280
El-part Eggy Pop In DIM	44290
El-part Eggy Pop Up	43150
El-part Eggy Pop Pendant - 2m(3m)	41180
El-part Eggy Pop Pendant - 4m(5m)	41185
El-part Eggy Pop Pendant - 6m(7m)	41186
El-part Eggy Pin Table	44180
El-part Eggy Pin T. DIM	44190
El-part Eggy Pin Floor	44285
El-part Eggy Pin F. DIM	44295
El-part Eggy Pop Out-3m	47280
El-part Eggy Pop Out-5m	47285
El-part Eggy Pop Out-8m	47290
Eggy Pop Fix. bracket	47270

COLORS

By product

Oblique



Grid



Peak

Basic

Lightsquare



GENERAL TERMS OF SALE & DELIVERY

1. Application

The following general conditions of sale and terms of delivery shall apply to all offers, sales and deliveries by the Vendor - also in cases where the Buyer stipulates other terms and conditions. Any deviation from the following conditions of sale and terms of delivery shall only be valid subject to the written consent of the Vendor.

2. Delivery

Where no special term of delivery has been stipulated, the delivery term is always ex works. Freight and payment is arranged by the Buyer.

Delivery is always to the Buyer's address. By direct delivery to the end user, the Vendor's liability for the product and the warranty for the shipment will lapse.

3. Defects and liability

The Buyer must check the goods immediately upon receipt.

Goods received with visible freight damages: The Buyer must immediately put in writing on the consignment note: "Received with reservation" and ensure that the carrier is aware hereof.

Any visible damages must be claimed in writing to the Vendor within 2 days, and hidden damages within 5 days from the day of receipt of the goods.

Claims must include information about the type of damage, date of purchase, invoice copy, and photo documentation.

The Vendor is not liable for any consequential damages or indirect losses, and the Buyer can claim a maximum compensation equaling the invoiced buying price ex. VAT.

In case of defects the Buyer may only withhold a proportionate share of the purchase price, and only if this is acknowledged in writing by the Vendor.

The Vendor disclaims liability for damage to goods or property that is not covered by the product liability act.

Vendor is only liable for the defects which appear within 2 years from the date when the goods were delivered to the buyer.

4. Return of goods

The Buyer cannot return purchased goods to the Vendor.

If an exception is made, the following conditions must be fulfilled:

The vendor has given his written consent, and the goods have not been unpacked or used.

The goods must be returned in the original, unopened packaging without any additional markings or labels. Return freight is arranged at the Buyer's cost and risk.

By return of goods the Buyer must pay 20% of the originally invoiced price.

Custommade products and products not normally held in stock can never be returned.

4. Prices

The price of the product appears from the Vendor's price list. The Vendor holds the right to increase prices in the period from contract conclusion to delivery as a result of extra-ordinary price increases from the subcontractor.

5. Payment and Interest

Unless otherwise agreed the purchase sum shall be made prior to delivery. Where the Buyer fails to effect payment punctually the vendor shall be entitled to demand penal interest as from the due date at the rate of 2% per month or part thereof.

A fee of €13 will be claimed for each reminder.

6. Ownership reservation (Retention of title)

The goods sold shall remain the Vendor's property until payment has been made in full.

7. Installation

The Vendor recommends that lighting products are installed by a qualified electrician. Failure to do so will lapse the Vendor's liability and warranty for the product.

Cph Lighting Catalogue 2016 (UK). Ver.1

All models: Copyright Cph Lighting
All information in this catalogue is without engagement and can always be modified.
Cph Lighting has the right to change the technical aspects of its products at any time without prior notice.
Cph Lighting has the right to change prices without prior notice due to extra-ordinary increases in production costs, printer's error, or other unforeseen circumstances.
No part of this catalogue may be reproduced without the authorisation from Cph Lighting.



Cph Lighting
Bytoften 2
DK-6710 Esbjerg V
tel. +45 75 18 01 06
info@cphlighting.dk
www.cphlighting.dk

