



Timeless Quality Lighting Manufactured in Denmark



Important:

All information in this catalogue is without engagement, replaces all preceeding information and can always be modified. Cph Lightling has the right to change the technical aspects of its products at any time without prior notice.

All products are supplied without light bulbs, unless otherwise stated. For further technical information visit: www.cphlightling.dk
Copyright & all rights reserved Cph Lightling. Catalogue: Collection 2024



Content

5

About Us

Our Designers

6

Collection

26 Technical Info

About Us

Cph Lighting is a Danish lighting company based in Hjerting, a seaside town on the West Coast of Denmark. Our mission is to create lamps that can withstand years of daily use in private and public interiors and will be cherished for generations. Our collection is designed and manufactured with the greatest attention to functionality, high quality, and low energy consumption. All wrapped in beautiful and timeless design.

The Cph Lighting collection is manufactured in Denmark. Components are produced by highly qualified and carefully selected Danish sub-suppliers and assembled in our own workshop. In this way we can secure hands-on control with product quality and fair labour conditions, and we contribute to keeping proud, traditional craftsman techniques alive in Denmark. Transportation of components and the finished products is reduced for the benefit of our planet. Furthermore, close access to our suppliers improves dialogue and flexibility, which gives us the ability to offer customized solutions, even at smaller quantities.

Our Designers



Guglielmo Berchicci

Born in Italy and a graduate in architecture from the Polytechnic University of Milan. Guglielmo Berchicci is a versatile designer and architect, renowned in Italy and abroad. Represented in the permanent collections of MoMA New York and Triennale Design Museum in Milan. Guglielmo Berchicci's work of architecture and design is inspired by his fascination with the complexities of nature and life.

Designs for Cph Lighting: The Eggy Pop collection.



Morten Flensted

Born in Denmark and trained as an electrician and electronic engineer before graduating as an industrial designer from Kolding School of Design.

Morten Flensted's designs are characterized by his keen eye to details and his ability to combine technical requirements with an inviting visual expression.

Designs for Cph Lighting: Peak, Nola, and Cph Lighting logo design.



Tom Stepp 1950-2023

Born in Denmark and trained as a carpenter, building technician, and construction technician before graduating as an architect from the Royal Danish Academy of Fine Arts in Copenhagen. A background which gave Tom Stepp a pragmatic approach to the design process. Tom Stepp was known as one of Denmark's most renowned and productive designers.

Designs for Cph Lighting: Basic, Grid, Oblique, Perfo.

Nola

Design: Morten Flensted - 2018 / 2024

The Nola collection includes a table lamp, a wall lamp and a pendant. Nola exudes elegance and grace and is the perfect blend of beautiful design and functionality. Available in black and white with complementing details in raw brushed brass.







Nola Table is, thanks to its slender design, perfect as task light on a night table or work desk or as a decorative light source on a sideboard, book case or window sill. The tilt- and turnable lamp shade offers easy adjustment of the light direction. The on/off switch is positioned on the base.






Nola Pendant is small and slender, offering good directional light above e.g. a dining table or counter without blocking the view.



Nola Fixed base. A bespoke version of the Nola Table lamp used as beside lamps and desk lamps at the stunning 4-star Hotel Kong Arthur in Copenhagen.










Peak

Design: Morten Flensted - 2015



Peak is a unique pendant made of genuine and exquisite materials: Solid oak shade (natural, black stained or smoked) with gold plated cord grip and textile covered silicone cord. Delivered with a GU10 LED bulb, 60D light beam - perfect to illumiate dining tables and counters.









CPH Tubelight

Design: Cph Lighting - 2019



Design: Tom Stepp - 1980



CPH Tubelight is a family of ceiling spots available in three lengths and four colours: Vivid bronze, classic white and black and stylish brushed aluminium. The cylindrical shape, rounded edges and no visible screws exudes elegance and minimalism. Use same length or a mix for a decorative effect.











Basic is a classic pendant in spun aluminium with details in chromed steel and textile cord. Basic emits a pleasant downward directed light with its white painted inner shade. The lower ring elegantly screens off the bulb to prevent glare. The opening at the top allows the light to illuminate the rings for a decorative effect. Basic is available in three sizes in black and









Grid

Design: Tom Stepp - 2011



Design: Tom Stepp - 1979



Grid combines modern and classic Scandinavian design. A refined interpretation of traditional industrial lamps used above metal lathes. The metal grid adds a twist to the design and prevents nosy fingers from touching the bulb. The recessed position of the light bulb allows Grid to hang high, without causing glare. The shade offers perfect reflection of the light whereby Grid to illuminate even large surfaces. Grid is available in seven Nordic colours.













Oblique is a timeless and classic collection of lamps with exceptional details, finish and functionality. The on/off switch is an integrated part of the design, elegantly positioned on the tilt- and turnable lamp shade. Oblique emits a downward directed and asymmetrical light due to its oblique cut lamp shade. The shade is white lacquered on the inside for a perfect reflection of the light.

Oblique is available in a beautiful colour range with stem and joint in glossy chrome and solid brushed brass finish. The brass is coated with a transparent lacquer to prevent tarnish.
















Oblique Floor can be placed next to a sofa or easy chair where it will offer perfect light for reading or indulging in creative pursuits. Oblique Floor is stirdy yet light - easy to move to another spot. Changing the light direction or turning the lamp on or off is handled within arm's reach on the lamp head.





Oblique Table lamp is elegant and versatile. It fits perfectly on a work desk, nightstand, book case, in the window sill or any other place where good directional light is required.





Oblique Wall offers high quality light by the bedside at home or in a hotel room, by the sofa or in the kitchen. Available with visible cord and hardwired.





Eggy Pop

Design: Guglielmo Berchicci - 2004

The Eggy Pop collection is inspired by a simple shape: The Egg. The iconic design and great functionality makes the Eggy Pop collection perfect for almost any interior style, both private and public. The collection is based on three diffusers sizes ø32cm, ø55cm and ø70cm. The matching fittings determine the lamp model. The Eggy Pop collection includes floor lamps, table lamps, pendants, wall/ceiling lamps and an outdoor lamp.

The diffusers are made of rotation-molded opal white polyethylene. A 100% recyclable, UV-resistant and highly impact-resistant plastic material offering a pleasant and glare-free light.





Eggy Pop In is a decorative and functional floor and table lamp in three sizes. The strong material makes Eggy Pop In suitable for use in public spaces. Available in three sizes with on/off or dimmable switch.








Eggy Pop Pendant offers pleasant ambient light and is both functional and decorative. Perfect for private homes and public interiors. Eggy Pop Pendant hangs on a steel wire with a curved cord for an elegant and floating look. Use the pendant alone or in clusters, same size or mixed sizes for a decorative effect.




Eggy Pop Up is a decorative fixture for wall and ceiling. The discreet fixation provides a sleek and elegant look from all angles. Perfect alone and in decorative clusters.






Eggy Pin Table and Floor. The organic diffuser, elegantly elevated on the slim stem, emits a pleasant ambient light. Available as Pin Table, Pin Floor 32 and Pin Floor 55 with on/off or dimmable switch.





Eggy Pop Out lamps add ambience to your outdoor space all year round and can withstand all weather conditions. Available in three sizes and three cable lengths. IP55. Accessory: Fixation bracket and fixation spear.





Arcus

Design: Cph Lighting - 2000



Arcus is a classic and robust outdoor armature made of hot-dipped galvanised steel. Suitable for private and public installations requiring a tamper-proof fixture designed to withstand harsh climates.



Perfo

Design: Tom Stepp - 2000



Perfo is a timeless and strong wall fixture made of hot-dipped galvanised steel. Perfo emits an indirect light and the perforated front cover creates a warm and decorative effect.



Technical Info

26-27

Eggy Pop

28

Nola

29

Oblique

30

Cph Tubelight Grid Peak

31

Basic Arcus Perfo

I	Eggy Pop In	Egg	y Pop Pendant	E	Eggy Pop Up		Eg	gy Pin Floor	$\mathbf{E}\mathbf{g}\mathbf{g}$	y Pin Table	E	ggy Pop Out
h22/h35/h40 cm	ø32/ø55/ø70 cm	h22/h35/h40 cm	Wire/Cord 2/3m 4/5m 6/7m	ø32/ø55	/ø70 cm 22/35/40 cm		m180 cm	E 8 8 F F	h40 cm	Ø32 cm	, h22/h35/h40 cm	Cord: 3m/5m/8m
Dimensions	ø32 x h22cm ø55 x h35 cm ø70 x h40 cm	Dimensions	ø32 x h22cm ø55 x h35 cm ø70 x h40 cm	Dimensions	ø32 x 22cm ø55 x 35 cm ø70 x 40 cm	D	imensions	Pin Floor 55: ø55 x h180 cm Pin Floor 32: ø32 x h150 cm	Dimensions	Pin Table: Ø32 x h40 cm	Dimensions	ø32 x h22cm ø55 x h35 cm ø70 x h40 cm
Materials	Diffuser: Rotation moulded Polyethylene (PE). Base: POM. Plastic cord.	Materials	Diffuser: Rotation moulded Polyethylene (PE). Base: POM. Steel wire, plastic cord.	Materials	Diffuser: Rotation moulded Polyethylene (PE). Base: POM.	M	aterials	Diffuser: Rotation moulded Polyethylene (PE) Base and stem: POM, lacquered steel. Plastic cord.	Materials	Diffuser: Rotation moulded Polyethylene (PE) Base and stem: POM, lacquered steel. Platic cord.	Materials	Diffuser: Rotation moulded Polyethylene (PE). Base: POM. Rubber cord. Accessories: Fixation bracket: POM Spear: Steel
Colours	Diffuser: Opal white Cord: White	Colours	Diffuser: Opal white Cord: White*. Steel wire. *)Custom cord colours on request.	Colours	Diffuser: Opal white Cord: White	C	olours	Diffuser: Opal white Stem/base: White*. Cord: White *) Custom base stem/base colours on request.	Colours	Diffuser: Opal white Stem/base: White*. Cord: White *) Custom base stem/base colours on request.	Colours	Opal white Cord: Black
Light source	E27 - 230V, max 75W	Light source	E27 - 230V, max 75W	Light source	E27 - 230V, max 75W	- Lig	ght source	E27 - 230V, max 75W	Light source	E27 - 230V, max 75W	Light source	E27 - 230V, max 75W
Mounting	2m plastic cord 2x0.75mm² w/EU-plug. On/off or DIMM switch UK: UK-plug adaptor.	Mounting	2m wire/3m cord* 4m wire/5m cord* 6m wire/7m cord* *)2x0.75mm², baldachine, terminal block 2x2.5mm².	Mounting	Terminal block 2x1.5mm ² . Optional mouting with visible cord.	M	lounting	1.7 m plastic cord 2x0.75mm²w/EU-plug. On/off or DIM switch UK: UK-plug adaptor.	Mounting	1.7 m plastic cord 2x0.75mm²w/EU-plug. On/off or DIM switch UK: UK-plug adaptor.	Mounting Accessories	3m/5m/8m cord 2x1mm² w/Schuko plug. UK: UK-plug adaptor. CH: 3m and 5m cord w/ Swiss Plug. Fixation bracket + spear.
Marking	IP20 - CI.II, CE-marking, F-marking	Marking	IP20 - CI.II, CE-marking, F-marking	Markings	IP20 - Cl.II, CE-marking, F-marking	- M	larking	IP20 - KI.II, CE-marking, F-marking	Marking	IP20 - KI.II, CE-marking, F-marking	Marking	IP55 - CI.II, CE-marking, F-marking
Model no.	Ø32: 44281 Ø32 DIM: 44291 Ø55: 44282 Ø55 DIM: 44292 Ø70: 44283 Ø70 DIM: 44293	Model no.	### ### ### ### ### ### ### ### ### ##	Model no.	ø32: 43151 ø32: 43152 ø32: 43153	М	odel no.	Ø55 On/off: 44286 Ø55 DIM: 44296 Ø32 On/off: 44288 Ø32 DIM: 44298	Model no.	On/off: 44181 DIM: 44191	Model no.	### ##################################

1	Nola Table		Nola Wall	N	ola Pendant	0	blique Floor	0	blique Table	0	blique Wall
h43.6 cm	d14.8 cm / w10 cm	h20.5 cm	d18.5 cm / w8.8 cm	5	Ø 8.8 cm		w26 cm / ø20 cm		E 0 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	h21 cm	d22.5 cm
Dimensions	h43.6 x d14.8 cm Shade: ø8.8 cm Base: ø10 cm	Dimensions	h20.5 x d18.5 cm Shade: ø8.8 cm Wall base: ø6 cm	Dimensions	h18.8 x ø8.8 cm	 Dimensions	h132 cm x w26 cm Base: ø20 cm	Dimensions	h58 cm x w25 cm Base: Ø17 cm	Dimensions	h21 cm x d22.5 cm Wall base: ø7 cm
Materials	Lamp shade: Spun aluminium. Joint: Raw brass. Stem and base: Steel.	Materials	Lamp shade: Spun aluminium. Joint: Raw brass. Stem: Steel. Wall base: Aluminium.	Materials	Lamp shade: Spun aluminium. Stem: Steel.	Materials	Lamp shade: Spun aluminium. Base: Cast iron, steel. Chrome version: Stem: Chromed steel. Joint: Chromed brass. Brass version: Stem and joint in solid brushed brass w/ transparent lacquer.	Materials	Lamp shade: Spun aluminium. Base: Steel. Chrome version: Stem: Chromed steel. Joint: Chromed brass. Brass version: Stem and joint in solid brushed brass w/ transparent lacquer.	Materials	Lamp shade: Spun aluminium. Wall base: Steel. Chrome version: Joint: Chromed brass. Brass version: Joint in solid brushed brass W/ transparent lacquer.
Colours	White and Black with matching textile cord. Raw brushed brass details.	Colours	White and Black with matching textile cord. Raw brushed brass details.	Colours	White and Black with matching textile cord. Raw brushed brass details.	Colours	White, Black, Glossy White*, Glossy Black*, Flint Grey, Petrol Blue, Olive Green, Tile Red, Sand. *)Only with chrome stem. All: White inner shade. Cord colour: White/Glossy White: White cord. All others: Black cord.	Colours	White, Black, Glossy White*, Glossy Black*, Flint Grey, Petrol Blue, Olive Green, Tile Red, Sand. *)Only with chrome stem. All: White inner shade. Cord colour: White/Glossy White: White cord. All others: Black cord	Colours	White, Black, Glossy White*, Glossy Black*, Flint Grey, Petrol Blue, Olive Green, Tile Red, Sand. *)Only with chrome joint. All: White inner shade. Cord colour: White.
Light source	230V, GU10-max 10W LED	Light source	230V, GU10-max 10W LED	Light source	230V, GU10-max 10W LED	Light source	E27 - 230V, max 60W	Light source	E27 - 230V, max 60W	Light source	E27 - 230V, max 60W
Mounting	2.6 m textile cord 2x0.75mm² w/EU-plug. UK: UK plug adaptor.	Mounting	2.8 m textile cord 2x0.75mm² w/EU-plug. UK: UK plug adaptor.	Mounting	2.8 m textile cord 2x0.75mm², baldachine, terminal block 2x2.5mm².	Mounting	2.8 m cord 2x0.75mm² w/ EU-plug. UK: UK plug adaptor.	Mounting	3.3 m cord 2x0.75mm² W/ EU-plug. UK: UK plug adaptor.	Mounting	3.9 m cord 2x0.75mm² w/EU-plug. UK: UK plug adaptor. Hardwired: Terminal block 2x1.5mm².
Marking	IP20 - CI.II, CE-marking, F-marking	Marking	IP20 - CI.II, CE-marking, F-marking	Marking	IP20 - CI.II, CE-marking, F-marking	Marking	IP20 - CI.II, CE-marking, F-marking	Marking	IP20 - Cl.II, CE-marking, F-marking	Marking	IP20 - CI.II, CE-marking, F-marking
Model no.	White: 44130 Black: 44131	Model no.	White: 43160 Black: 43161	Model no.	White: 41120 Black: 41121	Model no.	Chrome: White: 44200 Black: 44201 Glossy White: 44208 Glossy Black: 44209 Flint Grey: 44252 Petrol Blue: 44253 Olive Green: 44254 Tile Red: 44255 Sand: 44260 Brass: White: 44215 Black: 44216 Flint Grey: 44256 Petrol Blue: 44257 Olive Green: 44258 Tile Red: 44259 Sand: 44266	Model no.	Chrome: White: 44100 Black: 44101 Glossy White: 44108 Glossy Black: 44109 Flint Grey: 44152 Petrol Blue: 44153 Olive Green: 44154 Tile Red: 44155 Sand: 44160 Brass: White: 44115 Black: 44116 Flint Grey: 44156 Petrol Blue: 44157 Olive Green: 44158 Tile Red: 44159 Sand: 44166	Model no.	Chrome: Cord / HW White: 43100 / 53100 Black: 43101 / 53101 Glossy White: 43174 / 53174 Glossy Black: 43175 / 53175 Flint Grey: 43104 / 53104 Petrol Blue: 43105 / 53106 Tile Red: 43107 / 53107 Sand: 43178 / 53178 Brass: White: 43108 / 53108 Black: 43109 / 53109 Flint Grey: 43110 / 53110 Petrol Blue: 43111 / 53111 Olive Green: 43112 / 53112 Tile Red: 43113 / 53113 Sand: 43114 / 53114



CPH Tubelight		Grid Pendant		Peak Pendant		Ba	Basic Pendant		Arcus Wall		Perfo	
h12/18/24 cm	ø7 cm	h23 cm	ø17.5 cm	h12 cm	Ø15.5 cm	h14.5/17/21 cm	ø26/40/50 cm		27.4 cm d14.5 cm	w32 cr	n x h24 cm d14.5 cm	
Dimensions	12-7: h12 x 7 cm 18-7: h18 x 7 cm 24-7: h24 x 7 cm	Dimensions	ø17.5 x h23 cm	Dimensions	h12 x Ø15.5 cm	Dimensions	260: Ø26 x h14.5 cm 400: Ø40 x h17 cm 500: Ø50 x h21 cm	Dimensions	ø27.4 x d14.5 cm	Dimensions	b32 x h24 x d14.5 cm	
Materials	Tube: Aluminium. Mounting bracket: Steel.	Materials	Lamp shade: Spun aluminium and chromed steel. Textile cord.	Materials	Lamp shade: Solid oak with cable holder in goldplated brushed brass. Textile covered silicone cord.	Materials	Lamp shade: Aluminium Rods: Chrome steel. Textile cord.	Materials	Hotdipped galvanized steel, polycarbonate.	Materials	Hotdipped galvanized steel, polycarbonate.	
Colours	Bronze, White, Black, Brushed Aluminum.	Colours	Bright (white), Mystery (black), North (blue), Beach (beige), Sunrise (yellow), Moss (green), South (pink). All: White inner shade. Cord: Black cord on Mystery. Others with white cord.	Colours	Natural oak (lacquer), Smoked oak (oiled), Black oak (lacquer). Cord: Black.	Colours	Shade: White and Black with chrome details. Cord: White and Black.	Colours	Steel and transparent.	Colours	Steel and opal.	
Light source	GU10 - 230V, max10W LED	Light source	E27 - 230V, max 60W	Light source	GU10 - 230V, max 7.5W LED (4.9W LED included)	Light source	E27 - 230V, max 100W	Light source	230V, E27-max 60W	Light source	18W TC-TEL/GX24q-2/ Compact fluorescent.	
Mounting	Terminal block 3x2.5mm ² . Strain relief for installation cables. Looping possible.	Mounting	3m textile cord 2x0.75mm², baldachine, terminal block 2x2.5mm²	Mounting	3m textile covered silicone cord 2x0.75mm², baldachine, terminal block 2x2.5mm²	Mounting	3m textile cord 2x0.75mm baldachine, and terminal block 2x2.5mm ²	Mounting	Terminal block 3x2.5mm². Looping possible.	Mounting	Terminal block 3 x 2.5mm ² . Looping possible.	
Marking	IP20 - Cl.I, CE-marking, F-marking	Marking	IP20 - CI.II, CE-marking, F-marking	Marking	IP20 - CI.II, CE-marking, F-marking	Marking	IP20 - CI.II, CE-marking, F-marking	Marking	IP55 - CI.I, CE-marking, F-marking	Marking	IP44 - CI.I, CE-marking, F-marking	
Model no.	Bronze 12-7: 42100 Bronze 18-7: 42101 Bronze 24-7: 42102 White 12-7: 42110 White 18-7: 42111 White 24-7: 42112 Black 12-7: 42120 Black 18-7: 42121 Black 24-7: 42122 Alu 12-7: 42130 Alu 18-7: 42131 Alu 24-7: 42132	Model no.	Bright: 41170 Mystery: 41171 Beach: 41172 North: 41173 Sunrise: 41174 Moss: 41175 South: 41176	Model no.	Oak Natural: 41190 Oak Black: 41191 Oak Smoked: 41192	Model no.	260 White: 41110 260 Black: 41112 400 White: 41111 400 Black: 41113 500 White: 41114 500 Black: 41115	Model no.	Arcus: 43115	Model no.	Perfo: 43141	
					•			•				







