



Collection

**Timeless Quality Lighting
Manufactured in Denmark**



Eggy Pop Pendant, ø70
Rødding School, DK. Photo: Daarbak Design

Content

5

About Us

Our Designers

6


Collection

26

Technical Info

Important:

All information in this catalogue is without engagement, replaces all preceding information and can always be modified.
Cph Lighting has the right to change the technical aspects of its products at any time without prior notice.
All products are supplied without light bulbs, unless otherwise stated. For further technical information visit: www.cphlighting.dk
Copyright & all rights reserved Cph Lighting. Catalogue: Collection 2024



About Us

Cph Lighting is a Danish lighting company based in Hjørring, a seaside town on the West Coast of Denmark. Our mission is to create lamps that can withstand years of daily use in private and public interiors and will be cherished for generations. Our collection is designed and manufactured with the greatest attention to functionality, high quality, and low energy consumption. All wrapped in beautiful and timeless design.

The Cph Lighting collection is manufactured in Denmark. Components are produced by highly qualified and carefully selected Danish sub-suppliers and assembled in our own workshop. In this way we can secure hands-on control with product quality and fair labour conditions, and we contribute to keeping proud, traditional craftsman techniques alive in Denmark. Transportation of components and the finished products is reduced for the benefit of our planet. Furthermore, close access to our suppliers improves dialogue and flexibility, which gives us the ability to offer customized solutions, even at smaller quantities.



Our Designers



Guglielmo Berchicci

Born in Italy and a graduate in architecture from the Polytechnic University of Milan. Guglielmo Berchicci is a versatile designer and architect, renowned in Italy and abroad. Represented in the permanent collections of MoMA New York and Triennale Design Museum in Milan. Guglielmo Berchicci's work of architecture and design is inspired by his fascination with the complexities of nature and life.

Designs for Cph Lighting:
The Eggy Pop collection.



Morten Flensted

Born in Denmark and trained as an electrician and electronic engineer before graduating as an industrial designer from Kolding School of Design. Morten Flensted's designs are characterized by his keen eye to details and his ability to combine technical requirements with an inviting visual expression.

Designs for Cph Lighting: Peak, Nola, and Cph Lighting logo design.



Tom Stepp 1950-2023

Born in Denmark and trained as a carpenter, building technician, and construction technician before graduating as an architect from the Royal Danish Academy of Fine Arts in Copenhagen. A background which gave Tom Stepp a pragmatic approach to the design process. Tom Stepp was known as one of Denmark's most renowned and productive designers.

Designs for Cph Lighting:
Basic, Grid, Oblique, Perfo.

Nola

Design: Morten Flensted - 2018 / 2024

The Nola collection includes a table lamp, a wall lamp and a pendant. Nola exudes elegance and grace and is the perfect blend of beautiful design and functionality. Available in black and white with complementing details in raw brushed brass.



Nola Table White



Nola Pendant White



Nola Table Black

Nola Table is, thanks to its slender design, perfect as task light on a night table or work desk or as a decorative light source on a sideboard, book case or window sill. The tilt- and turnable lamp shade offers easy adjustment of the light direction. The on/off switch is positioned on the base.



Nola Pendant Black

Nola Pendant is small and slender, offering good directional light above e.g. a dining table or counter without blocking the view.

Nola Wall is a small and elegant wall lamp with a tilt- and turnable lamp shade and on/off switch on the wall base. Perfect as a bedside lamp or reading lamp behind the sofa, at home and in hotels.



Nola Fixed base. A bespoke version of the Nola Table lamp used as bedside lamps and desk lamps at the stunning 4-star Hotel Kong Arthur in Copenhagen.



Peak

Design: Morten Flensted - 2015



Peak is a unique pendant made of genuine and exquisite materials: Solid oak shade (natural, black stained or smoked) with gold plated cord grip and textile covered silicone cord. Delivered with a GU10 LED bulb, 60D light beam - perfect to illuminate dining tables and counters.



Peak Natural Oak



Peak Natural Oak

Peak Black Stained Oak

CPH Tubelight

Design: Cph Lighting - 2019

CPH Tubelight is a family of ceiling spots available in three lengths and four colours: Vivid bronze, classic white and black and stylish brushed aluminium. The cylindrical shape, rounded edges and no visible screws exudes elegance and minimalism. Use same length or a mix for a decorative effect.



CPH Tubelight Bronze



Breakfast restaurant Hotel Kong Arthur Copenhagen

Basic

Design: Tom Stepp - 1980

Basic is a classic pendant in spun aluminium with details in chromed steel and textile cord. Basic emits a pleasant downward directed light with its white painted inner shade. The lower ring elegantly screens off the bulb to prevent glare. The opening at the top allows the light to illuminate the rings for a decorative effect. Basic is available in three sizes in black and white.



Basic 400 Black



Basic 500 White, Basic 260 White, Basic 400 Black

Grid

Design: Tom Stepp - 2011



Grid combines modern and classic Scandinavian design. A refined interpretation of traditional industrial lamps used above metal lathes. The metal grid adds a twist to the design and prevents nosy fingers from touching the bulb. The recessed position of the light bulb allows Grid to hang high, without causing glare. The shade offers perfect reflection of the light whereby Grid to illuminate even large surfaces. Grid is available in seven Nordic colours.



Grid Bright



Grid Beach at The Office Group (TOG) Euston, London

Oblique

Design: Tom Stepp - 1979



Oblique is a timeless and classic collection of lamps with exceptional details, finish and functionality. The on/off switch is an integrated part of the design, elegantly positioned on the tilt- and turnable lamp shade. Oblique emits a downward directed and asymmetrical light due to its oblique cut lamp shade. The shade is white lacquered on the inside for a perfect reflection of the light. Oblique is available in a beautiful colour range with stem and joint in glossy chrome and solid brushed brass finish. The brass is coated with a transparent lacquer to prevent tarnish.



Oblique Floor Sand / Brass

Oblique Floor can be placed next to a sofa or easy chair where it will offer perfect light for reading or indulging in creative pursuits. Oblique Floor is sturdy yet light - easy to move to another spot. Changing the light direction or turning the lamp on or off is handled within arm's reach on the lamp head.



Oblique Floor Sand / Brass



Oblique Table Sand / Chrome

Oblique Table lamp is elegant and versatile. It fits perfectly on a work desk, nightstand, book case, in the window sill or any other place where good directional light is required.



Oblique Table Black / Chrome. Photo: Anna T. Funder.




Oblique Wall Sand / Brass

Oblique Wall offers high quality light by the bedside at home or in a hotel room, by the sofa or in the kitchen. Available with visible cord and hardwired.



Oblique Wall Black / Chrome
Sandbjerg Estate. Photo: Ole Toldbod




Oblique Wall White / Brass. Photo: Woodfront

Eggy Pop

Design: Guglielmo Berchicci - 2004

The Eggy Pop collection is inspired by a simple shape: The Egg. The iconic design and great functionality makes the Eggy Pop collection perfect for almost any interior style, both private and public. The collection is based on three diffusers sizes $\varnothing 32\text{cm}$, $\varnothing 55\text{cm}$ and $\varnothing 70\text{cm}$. The matching fittings determine the lamp model. The Eggy Pop collection includes floor lamps, table lamps, pendants, wall/ceiling lamps and an outdoor lamp. The diffusers are made of rotation-molded opal white polyethylene. A 100% recyclable, UV-resistant and highly impact-resistant plastic material offering a pleasant and glare-free light.



Eggy Pop In is a decorative and functional floor and table lamp in three sizes. The strong material makes Eggy Pop In suitable for use in public spaces. Available in three sizes with on/off or dimmable switch.



Eggy Pop Pendant offers pleasant ambient light and is both functional and decorative. Perfect for private homes and public interiors. Eggy Pop Pendant hangs on a steel wire with a curved cord for an elegant and floating look. Use the pendant alone or in clusters, same size or mixed sizes for a decorative effect.

Eggy Pop Up is a decorative fixture for wall and ceiling. The discreet fixation provides a sleek and elegant look from all angles. Perfect alone and in decorative clusters.



Eggy Pop Up ø32




Eggy Pin Table

Eggy Pin Table and Floor. The organic diffuser, elegantly elevated on the slim stem, emits a pleasant ambient light. Available as Pin Table, Pin Floor 32 and Pin Floor 55 with on/off or dimmable switch.



Eggy Pin Floor 55 and 32



Eggy Pop Up ø32 and ø55. North Jutland Agricultural School, Lundbaek. Photo: Bjørk & Maigaard Architects.



Eggy Pop Out ø55 and ø70

Eggy Pop Out lamps add ambience to your outdoor space all year round and can withstand all weather conditions. Available in three sizes and three cable lengths. IP55. Accessory: Fixation bracket and fixation spear.



Eggy Pop Out ø55 and ø70



Eggy Pop Out ø55 and ø70

Arcus

Design: Cph Lighting - 2000



Arcus is a classic and robust outdoor armature made of hot-dipped galvanised steel. Suitable for private and public installations requiring a tamper-proof fixture designed to withstand harsh climates.




Perfo

Design: Tom Stepp - 2000



Perfo is a timeless and strong wall fixture made of hot-dipped galvanised steel. Perfo emits an indirect light and the perforated front cover creates a warm and decorative effect.



Technical Info

26-27

Eggy Pop

28

Nola

29

Oblique


30

Cph Tubelight
Grid
Peak

31


Basic
Arcus
Perfo

Eggy Pop In




Dimensions	ø32 x h22cm ø55 x h35 cm ø70 x h40 cm
Materials	Diffuser: Rotation moulded Polyethylene (PE). Base: POM. Plastic cord.
Colours	Diffuser: Opal white Cord: White
Light source	E27 - 230V, max 75W
Mounting	2m plastic cord 2x0.75mm ² w/EU-plug. On/off or DIMM switch UK: UK-plug adaptor.
Marking	IP20 - Cl.II, CE-marking, F-marking
Model no.	ø32: 44281 ø32 DIM: 44291 ø55: 44282 ø55 DIM: 44292 ø70: 44283 ø70 DIM: 44293

Eggy Pop Pendant




Dimensions	ø32 x h22cm ø55 x h35 cm ø70 x h40 cm
Materials	Diffuser: Rotation moulded Polyethylene (PE). Base: POM. Steel wire, plastic cord.
Colours	Diffuser: Opal white Cord: White*. Steel wire. *) Custom cord colours on request.
Light source	E27 - 230V, max 75W
Mounting	2m wire/3m cord* 4m wire/5m cord* 6m wire/7m cord* *) 2x0.75mm ² , baldachine, terminal block 2x2.5mm ² .
Marking	IP20 - Cl.II, CE-marking, F-marking
Model no.	ø32 2/3m: 41181 ø32 4/5m: 41151 ø32 6/7m: 41153 ø55 2/3m: 41182 ø55 4/5m: 41151 ø55 6/7m: 41154 ø70 2/3m: 41183 ø70 4/5m: 41152 ø70 6/7m: 41155

Eggy Pop Up




Dimensions	ø32 x 22cm ø55 x 35 cm ø70 x 40 cm
Materials	Diffuser: Rotation moulded Polyethylene (PE). Base: POM.
Colours	Diffuser: Opal white Cord: White
Light source	E27 - 230V, max 75W
Mounting	Terminal block 2x1.5mm ² . Optional mouting with visible cord.
Markings	IP20 - Cl.II, CE-marking, F-marking
Model no.	ø32: 43151 ø32: 43152 ø32: 43153

Eggy Pin Floor




Dimensions	Pin Floor 55: ø55 x h180 cm Pin Floor 32: ø32 x h150 cm
Materials	Diffuser: Rotation moulded Polyethylene (PE) Base and stem: POM, lacquered steel. Plastic cord.
Colours	Diffuser: Opal white Stem/base: White*. Cord: White *) Custom base stem/base colours on request.
Light source	E27 - 230V, max 75W
Mounting	1.7 m plastic cord 2x0.75mm ² w/EU-plug. On/off or DIM switch UK: UK-plug adaptor.
Marking	IP20 - Kl.II, CE-marking, F-marking
Model no.	ø55 On/off: 44286 ø55 DIM: 44296 ø32 On/off: 44288 ø32 DIM: 44298

Eggy Pin Table




Dimensions	Pin Table: ø32 x h40 cm
Materials	Diffuser: Rotation moulded Polyethylene (PE) Base and stem: POM, lacquered steel. Platic cord.
Colours	Diffuser: Opal white Stem/base: White*. Cord: White *) Custom base stem/base colours on request.
Light source	E27 - 230V, max 75W
Mounting	1.7 m plastic cord 2x0.75mm ² w/EU-plug. On/off or DIM switch UK: UK-plug adaptor.
Marking	IP20 - Kl.II, CE-marking, F-marking
Model no.	On/off: 44181 DIM: 44191

Eggy Pop Out




Dimensions	ø32 x h22cm ø55 x h35 cm ø70 x h40 cm
Materials	Diffuser: Rotation moulded Polyethylene (PE). Base: POM. Rubber cord. Accessories: Fixation bracket: POM Spear: Steel
Colours	Opal white Cord: Black
Light source	E27 - 230V, max 75W
Mounting	3m/5m/8m cord 2x1mm ² w/Schuko plug. UK: UK-plug adaptor. CH: 3m and 5m cord w/ Swiss Plug.
Accessories	Fixation bracket + spear.
Marking	IP55 - Cl.II, CE-marking, F-marking
Model no.	ø32 3m: 47281 ø32 5m: 47286 ø32 8m: 47291 ø55 3m: 47282 ø55 5m: 47287 ø55 8m: 47292 ø70 3m: 47283 ø70 5m: 47288 ø70 8m: 47293 Fixation: 47270 Spear S: 47271 Spear L: 47272


Nola Table




Nola Wall



Nola Pendant



Oblique Floor



Oblique Table



Oblique Wall



Dimensions	h43.6 x d14.8 cm Shade: ø8.8 cm Base: ø10 cm
Materials	Lamp shade: Spun aluminium. Joint: Raw brass. Stem and base: Steel.
Colours	White and Black with matching textile cord. Raw brushed brass details.
Light source	230V, GU10-max 10W LED
Mounting	2.6 m textile cord 2x0.75mm ² w/EU-plug. UK: UK plug adaptor.
Marking	IP20 - Cl.II, CE-marking, F-marking
Model no.	White: 44130 Black: 44131

Dimensions	h20.5 x d18.5 cm Shade: ø8.8 cm Wall base: ø6 cm
Materials	Lamp shade: Spun aluminium. Joint: Raw brass. Stem: Steel. Wall base: Aluminium.
Colours	White and Black with matching textile cord. Raw brushed brass details.
Light source	230V, GU10-max 10W LED
Mounting	2.8 m textile cord 2x0.75mm ² w/EU-plug. UK: UK plug adaptor.
Marking	IP20 - Cl.II, CE-marking, F-marking
Model no.	White: 43160 Black: 43161

Dimensions	h18.8 x ø8.8 cm
Materials	Lamp shade: Spun aluminium. Stem: Steel.
Colours	White and Black with matching textile cord. Raw brushed brass details.
Light source	230V, GU10-max 10W LED
Mounting	2.8 m textile cord 2x0.75mm ² , baldachine, terminal block 2x2.5mm ² .
Marking	IP20 - Cl.II, CE-marking, F-marking
Model no.	White: 41120 Black: 41121


Dimensions	h132 cm x w26 cm Base: ø20 cm
Materials	Lamp shade: Spun aluminium. Base: Cast iron, steel. Chrome version: Stem: Chromed steel. Joint: Chromed brass. Brass version: Stem and joint in solid brushed brass w/ transparent lacquer.
Colours	White, Black, Glossy White*, Glossy Black*, Flint Grey, Petrol Blue, Olive Green, Tile Red, Sand. *)Only with chrome stem. All: White inner shade. Cord colour: White/Glossy White: White cord. All others: Black cord.
Light source	E27 - 230V, max 60W
Mounting	2.8 m cord 2x0.75mm ² w/ EU-plug. UK: UK plug adaptor.
Marking	IP20 - Cl.II, CE-marking, F-marking
Model no.	<u>Chrome:</u> White: 44200 Black: 44201 Glossy White: 44208 Glossy Black: 44209 Flint Grey: 44252 Petrol Blue: 44253 Olive Green: 44254 Tile Red: 44255 Sand: 44260 <u>Brass:</u> White: 44215 Black: 44216 Flint Grey: 44256 Petrol Blue: 44257 Olive Green: 44258 Tile Red: 44259 Sand: 44266

Dimensions	h58 cm x w25 cm Base: ø17 cm
Materials	Lamp shade: Spun aluminium. Base: Steel. Chrome version: Stem: Chromed steel. Joint: Chromed brass. Brass version: Stem and joint in solid brushed brass w/ transparent lacquer.
Colours	White, Black, Glossy White*, Glossy Black*, Flint Grey, Petrol Blue, Olive Green, Tile Red, Sand. *)Only with chrome stem. All: White inner shade. Cord colour: White/Glossy White: White cord. All others: Black cord
Light source	E27 - 230V, max 60W
Mounting	3.3 m cord 2x0.75mm ² w/ EU-plug. UK: UK plug adaptor.
Marking	IP20 - Cl.II, CE-marking, F-marking
Model no.	<u>Chrome:</u> White: 44100 Black: 44101 Glossy White: 44108 Glossy Black: 44109 Flint Grey: 44152 Petrol Blue: 44153 Olive Green: 44154 Tile Red: 44155 Sand: 44160 <u>Brass:</u> White: 44115 Black: 44116 Flint Grey: 44156 Petrol Blue: 44157 Olive Green: 44158 Tile Red: 44159 Sand: 44166


Dimensions	h21 cm x d22.5 cm Wall base: ø7 cm
Materials	Lamp shade: Spun aluminium. Wall base: Steel. Chrome version: Joint: Chromed brass. Brass version: Joint in solid brushed brass w/ transparent lacquer.
Colours	White, Black, Glossy White*, Glossy Black*, Flint Grey, Petrol Blue, Olive Green, Tile Red, Sand. *)Only with chrome joint. All: White inner shade. Cord colour: White.
Light source	E27 - 230V, max 60W
Mounting	3.9 m cord 2x0.75mm ² w/EU-plug. UK: UK plug adaptor. Hardwired: Terminal block 2x1.5mm ² .
Marking	IP20 - Cl.II, CE-marking, F-marking
Model no.	<u>Chrome:</u> Cord / HW White: 43100 / 53100 Black: 43101 / 53101 Glossy White: 43174 / 53174 Glossy Black: 43175 / 53175 Flint Grey: 43104 / 53104 Petrol Blue: 43105 / 53105 Olive Green: 43106 / 53106 Tile Red: 43107 / 53107 Sand: 43178 / 53178 <u>Brass:</u> White: 43108 / 53108 Black: 43109 / 53109 Flint Grey: 43110 / 53110 Petrol Blue: 43111 / 53111 Olive Green: 43112 / 53112 Tile Red: 43113 / 53113 Sand: 43114 / 53114




CPH Tubelight




Grid Pendant




Peak Pendant




Basic Pendant



Arcus Wall



Perfo



Dimensions 12-7: h12 x 7 cm
18-7: h18 x 7 cm
24-7: h24 x 7 cm

Materials Tube: Aluminium.
Mounting bracket: Steel.

Colours Bronze, White, Black,
Brushed Aluminium.

Light source GU10 - 230V, max10W LED

Mounting Terminal block 3x2.5mm².
Strain relief for installation
cables.
Looping possible.

Marking IP20 - Cl.I, CE-marking,
F-marking

Model no. Bronze 12-7: 42100
Bronze 18-7: 42101
Bronze 24-7: 42102
White 12-7: 42110
White 18-7: 42111
White 24-7: 42112
Black 12-7: 42120
Black 18-7: 42121
Black 24-7: 42122
Alu 12-7: 42130
Alu 18-7: 42131
Alu 24-7: 42132

Dimensions ø17.5 x h23 cm

Materials Lamp shade:
Spun aluminium and
chromed steel.
Textile cord.

Colours Bright (white), Mystery
(black), North (blue),
Beach (beige), Sunrise
(yellow), Moss (green),
South (pink).
All: White inner shade.
Cord:
Black cord on Mystery.
Others with white cord.

Light source E27 - 230V, max 60W

Mounting 3m textile cord 2x0.75mm²,
baldachine, terminal
block 2x2.5mm²

Marking IP20 - Cl.II, CE-marking,
F-marking

Model no. Bright: 41170
Mystery: 41171
Beach: 41172
North: 41173
Sunrise: 41174
Moss: 41175
South: 41176

Dimensions h12 x ø15.5 cm

Materials Lamp shade: Solid oak
with cable holder in
goldplated brushed brass.
Textile covered silicone
cord.

Colours Natural oak (lacquer),
Smoked oak (oiled), Black
oak (lacquer).
Cord: Black.

Light source GU10 - 230V, max 7.5W LED
(4.9W LED included)

Mounting 3m textile covered silicone
cord 2x0.75mm²,
baldachine,
terminal block 2x2.5mm²

Marking IP20 - Cl.II, CE-marking,
F-marking

Model no. Oak Natural: 41190
Oak Black: 41191
Oak Smoked: 41192

Dimensions 260: ø26 x h14.5 cm
400: ø40 x h17 cm
500: ø50 x h21 cm

Materials Lamp shade: Aluminium
Rods: Chrome steel.
Textile cord.

Colours Shade: White and Black
with chrome details.
Cord: White and Black.

Light source E27 - 230V, max 100W

Mounting 3m textile cord 2x0.75mm²,
baldachine, and
terminal block 2x2.5mm²

Marking IP20 - Cl.II, CE-marking,
F-marking

Model no. 260 White: 41110
260 Black: 41112
400 White: 41111
400 Black: 41113
500 White: 41114
500 Black: 41115

Dimensions ø27.4 x d14.5 cm

Materials Hotdipped galvanized steel,
polycarbonate.

Colours Steel and transparent.

Light source 230V, E27-max 60W

Mounting Terminal block 3x2.5mm².
Looping possible.

Marking IP55 - Cl.I, CE-marking,
F-marking

Model no. Arcus: 43115

Dimensions b32 x h24 x d14.5 cm

Materials Hotdipped galvanized steel,
polycarbonate.

Colours Steel and opal.

Light source 18W TC-TEL/GX24q-2/
Compact fluorescent.

Mounting Terminal block 3 x 2.5mm².
Looping possible.

Marking IP44 - Cl.I, CE-marking,
F-marking

Model no. Perfo: 43141





Cph Lighting | Bytoften 2 | DK-6710 Esbjerg V | tel. +45 75 18 01 06 | info@cphlighting.dk | www.cphlighting.dk

